Sound Reduction Index according to DIN EN ISO 10140-2

Client:

Espero BV

NL - 5145 PE Waalwijk

P-BA 112/2013e

Fig. 3

Test Specimen:

Double-leaf movable partition wall (test object S 10534-74), Type: Sonico 100-54, covering made of 13 mm plasticcoated chipboards, bitumen loading mats (mass per unit area: 12 kg/m²) clamped to the interior on both sides, with 70 mm thick mineral wool in the element cavity. At the bottom both sides with additional gaskets. The partition was in a functional state.

Partition thickness:

102 mm

Weight of solid wall element:

170 kg

Mass per unit area of test wall: 50.6 kg/m² (including frame and mechanics).

Additional description and technical data see page 2 and 3 of test report P-BA 112/2013e as well as Fig.1 and 2.

Test surface area: 10.7 m²

Test facilities:

test facilities for walls P6

Room volume:

 $V_S = 52.8 \text{ m}^3$

 $V_E = 63.2 \text{ m}^3$

Maximum insulation of

test facility:


 $R'_{max,w} = 77 dB$

Relative humidity: 32 % Air temperature: 21.1 °C Static air pressure 972 hPa Excitation noise: pink noise

Test date:

January 22, 2013

Frequency f [Hz]	Sound reduction index R [dB]
100	34.3
125	38.1
160	38.7
200	43.9
250	46.6
315	48.2
400	49.5
500	50.4
630	50.3
800	51.9
1000	54.7
1250	57.1
1600	57.9
2000	57.1
2500	56.7
3150	57.6
4000	60.3
5000	64.0



Weighted sound reduction index and spectrum adaptation terms according to DIN EN ISO 717-1: 2006

 R_w (C; C_{tr} ; $C_{100-5000}$; $C_{tr,100-5000}$) = 54 dB (-2; -5; -1; -5)



The test was carried out in a test laboratory of the IBP accredited according to DIN EN ISO/IEC 17025 by the DAP (German Accreditation System for Testing), No. DAP-PL-3743.26.

Stuttgart, July 23, 2013

Head of the test laboratory:

